

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	45	((("3008367") or ("3439568") or ("3509264") or ("3551580") or ("3553339") or ("3659032") or ("3725561") or ("3748367") or ("3956959") or ("4201107") or ("4226156") or ("4279188") or ("4581972") or ("4679479") or ("4947725") or ("5042356") or ("5056408") or ("5105710")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 11:04
S3	2	acoustic with electronic with electric with percussion	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 11:28
S4	54	acoustic with electronic with electric\$2 same (percussion or drum)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 11:50
S5	2832	(84/723,725,600,726,679,743,730,1,51,402,104,629,706).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 13:49
S6	29	(percussion or drum or cymbal) and (vibrat\$3 same electric\$4 with charge\$3 with (attach\$4 or mount\$3 or connect\$3 or secure\$1) with (surface or portion or dum adj head\$1 or top))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 14:10
S7	306	(percussion or drum\$1 or cymbal\$2) and (vibrat\$3 same electric\$4 with (charge\$3 or impedance or resist\$4) same (attach\$4 or mount\$3 or connect\$3 or secure\$1 or position\$3 or plac\$3 or locat\$3 or install\$3) with (surface or portion or dum adj head\$1 or top))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 16:27
S8	47	S7 and (voltage with differen\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 14:43

S10	15	S5 and S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 14:44
S11	306	(percussion or drum\$1 or cymbal\$2) and (vibrat\$3 same electric\$4 with (charge\$3 or impedance or resist\$4) same (attach\$4 or mount\$3 or connect\$3 or secure\$1 or position\$3 or plac\$3 or locat\$3 or install\$3) with (surface or portion or dum adj head\$1 or top or skin))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 14:57
S12	22	"84"/\$.ccls. and S11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 14:57
S13	395	(percussion or drum\$1 or cymbal\$1) and vibrat\$3 with (pickup\$1 or sensor\$1 or transducer\$1) and (signal\$1 or output\$1) with (transform\$3 or chang\$3 or modify\$3 or adjust\$3 or reconstruct\$3 or adapt\$3 or alter\$3 or vary\$3 or modulat\$3) near4 (amplitude or frequency or spectral or characteristic\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 16:44
S14	372	(percussion or drum\$1 or cymbal\$1) and vibrat\$3 with (pickup\$1 or sensor\$1 or transducer\$1) and (signal\$1 or output\$1) with (transform\$3 or chang\$3 or modify\$3 or adjust\$3 or reconstruct\$3 or adapt\$3 or alter\$3 or vary\$3 or modulat\$3) near4 (amplitude or frequency or spectral or spectrum)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 16:35
S15	71	"84"/\$.ccls. and S14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 16:58
S16	33	S15 and (dampen\$3 or damp\$3) with (acoustic\$3 or hole\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 16:42

S17	0	S15 and (dampen\$3 or damp\$3) with (hole\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 16:42
S18	1	S15 and (dampen\$3 or damp\$3 or reduc\$3 or minimiz\$3) with (hole\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 16:43
S19	10	S13 and (dampen\$3 or damp\$3 or reduc\$3 or minimiz\$3) with (hole\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 16:43
S20	5	(percussion or drum\$1) and vibrat\$3 with (pickup\$1 or sensor\$1 or transducer\$1) with (signal\$1 or output\$1) and (damp\$5 with holes)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 16:47
S21	4	(percussion or drum\$1) and vibrat\$3 with (pickup\$1 or sensor\$1 or transducer\$1) with (signal\$1 or output\$1) and (damp\$5 with acoustically)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 16:48
S22	17	(percussion or drum\$1) and vibrat\$3 with (pickup\$1 or sensor\$1 or transducer\$1) and ((damp\$5 or reduc\$3 or minimiz\$3) with acoustically)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 16:55
S23	70	(percussion or drum\$1) and vibrat\$3 with (pickup\$1 or sensor\$1 or transducer\$1) and ((damp\$5 or reduc\$3 or minimiz\$3) near3 sound)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 16:55
S24	32	"84"/\$.ccls. and S23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 17:12

S25	3	housing with plurality with electric near3 (percussion adj instruments or drums)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 17:13
S26	9	plurality near3 electric near3 (percussion adj instruments or drums)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 17:14
S27	42	(plurality or multiple) near3 (electric or electronic) near3 (percussion adj instruments or drums)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 11:06
S28	1	housing with (plurality or multiple) near3 (electric or electronic) near3 (percussion adj instruments or drums)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/27 17:16
S29	1896	(computer adj keyboard) [ti]	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 14:07